

KOBRA 260.1 C4

Throat width:	260mm
Security level DIN 66399:	P-4 T-4 E-3 F-1
Security level DIN 32757:	3
Shred size:	3,5x30mm cross cut
Paper capacity*:	15-17 A4 70gr; 13-15 A4 80gr
Shreddable Materials:	Paper, Credit Cards, Credit Cards with chip and Films
Speed:	0,07m/sec
Noise level:	61dba
Voltage:	230Volt
Power**:	500 Watt
Waste bag volume:	60 litres
Dimensions (WxDxH):	40x36x84cm
Weight:	29kg
EAN Code:	8 026064 999199



* Capacity varies on supply power, weight, quality and grain of paper, operating temperature and blade lubrication


MAIN FEATURES

Carbon hardened cutting knives, unaffected by staples and metal clips. High precision design of cutting knives allows high shred loads with low power consumption. Motor thermal protection. 24 hours continuous duty motor: no duty cycle or timed cool down period. Bag full stop with light signal. KOBRA 260.1 C4 detects the door opening and automatically stops the cutting knives. It is equipped with the Energy Smart® for the environmental protection and energy costs saving: the energy saving system activates the Stand-by mode just after 8 seconds of non-operation.

- SUPER POTENTIAL POWER UNIT heavy duty chain drive system with metal gears
- CONTINUOUS DUTY 24 hours continuous duty operation without overheating and duty cycles
- CUTTING KNIVES carbon hardened steel cutting knives unaffected by staples and clips
- ENERGY SMART® power saving stand-by mode
- START & STOP automatic start and stop through electronic eyes with stand-by function
- SAFETY STOP automatic stop with light signal for bag full and / or open door
- AUTOMATIC REVERSE system in case of jamming
- CABINET attractive 60 litre cabinet mounted on casters



LED INDICATORS
 Easy to operate ON OFF Reverse switch, with LED signal for bag full or open door



CHAIN
 heavy duty chain drive system and metal gears



ENERGY SMART®
 management system with illuminated indicators for power saving in stand-by mode



CUTTING KNIVES IN HARDENED STEEL
 unaffected by staples and metal clips